














| LOT | QTY   | DESCRIPTION   | NOTE |
|-----|---|---|------|
| 1   |    | "GENERAL ELECTRICS" ELECTRIC MOTOR, DC, 105HP                                   |      |
| 2   |    | "GENERAL ELECTRICS" ELECTRIC MOTOR, DC, 105HP                                   |      |
| 3   |    | "YOUNG RADIATOR CO." LARGE RADIATOR<br>990 x 1270mm (H)                         |      |
| 4   |   | TRACKWHEEL ASSEMBLY, TRAVEL   |      |
| 5   |  | STRAP, ECCENTRIC<br>CAP, ECCENTRIC<br>2 x TRACKWHEEL ASSY                       |      |
| 6   |  | "AEG" ELECTRIC MOTOR, AC, 15HP, 415V<br>ELECTRIC MOTOR, AC, 50HP, 1470rpm, 415V |      |
| 7   |  | "RADICON" GEARBOX<br>MODEL: RH12<br>30.5:1 RATIO                                |      |

| LOT | QTY   | DESCRIPTION  | NOTE |
|-----|---|--|------|
| 8   |    | "HOLROYD CROFT" GEARBOX, 41-551-12, 25:1 RATIO   |      |
| 9   |    | "MORSE MCU" GEAR BOX, 7.5:1, 97.8HP, 960RPM  |      |
| 10  |    | "RADICON" GEARBOX, 60:1 RATIO &<br>"RADICON" GEARBOX, 60:1 RATIO   |      |
| 11  |  | 2 x SPXFLOW I-SERIES MIXERS<br>MODEL: MI5P1<br>DOM2020   |      |
| 12  |  | 2 x HYDRAULIC CYLINDERS 200 x 100 x 235mm  |      |
| 13  |  | HYDRAULIC CYLINDER, 3.25" x 10.87"<br>2 x HYDRAULIC CYLINDERS, PLESSEY 52995-17 3" x11-1/2" &<br>HYDRAULIC CYLINDER 63MM BORE x 100mm STROKE |      |









| LOT | QTY | DESCRIPTION   | NOTE |
|-----|-----|---|------|
| 14  |     | "SUMITOMO" GEARBOX, 29.5 RATIO, 15KW  |      |
|     |     |    |      |
| 15  |     | "RADICON" GEARBOX, 28:1 RATIO   |      |
|     |     |    |      |
| 16  |     | "SD10" GEARBOX, WORM DRIVE, 30:1 RATIO  |      |
|     |     |    |      |
| 17  |     | "DAVID BROWN" GEARBOX, BHV 13, 5:1 RATIO  |      |
|     |     |    |      |
| 18  |     | "SUMITOMO" GEARBOX, CYCLO DRIVE, 187:1 RATIO<br>"RADICON" GEARBOX, 40:1, DBL SHAFT &<br>"SRDB" GEARBOX, MODEL: 5RHU, 35:1 RATIO |      |
|     |     |    |      |
| 19  |     | ELECTRIC MOTOR, AC, 1480rpm, 100HP, 415V,   |      |
|     |     |    |      |
| 20  |     | "RADICON" GEARBOX, 7.5:1 RATIO  |      |
|     |     |    |      |

| LOT | QTY | DESCRIPTION  | NOTE |
|-----|-----|--|------|
| 21  |     | 2 x HYDRAULIC CYLINDERS, 200 x 145 x 60mm (CG-30008)   |      |
|     |     |   |      |
| 22  |     | "RICHARDSON" GEARBOX, SIZE: HC9/12, 25.5:1 RATIO<br>1000rpm  |      |
|     |     |   |      |
| 23  |     | PULLEY, T/BEND<br>1000mm x 450mm (D)   |      |
|     |     |   |      |
| 24  |     | PULLEY, COUNTERWEIGHT<br>1000 x 452.2mm (D)  |      |
|     |     |    |      |
| 25  |     | PULLEY, COUNTERWEIGHT<br>1000 x 452.2mm (D)  |      |
|     |     |   |      |
| 26  |     | GEARMOTOR, AC, 1.1KW, 415V, 4P,D90S,<br>MOTOR, AC, 3HP, 415V, 4P, FLG/MT, D184,<br>MOTOR , AC, VIB, 1.0HP, 415V, 4P, FT, KEC-16-4,<br>2 x SEAL RINGS, PUMP, KELLY & LEWIS, 65393-M,<br>GEAR MOTOR, HELICAL, 1.1KW, 4P, DRG 105051-L<br>MOTOR, AC, 1.1KW, 415V, 4P, FT/MT, 90L,19MMSHF &<br>CYLINDER, HYDROIL, HB25-14-170-1-3/8" |      |
|     |     |   |      |
| 27  |     | HYDRAULIC CYLINDER, HB25-13-950-1 3/8",<br>HYDRAULIC CYLINDER, HHRH-0250-138-S2-N4-B11-0-300M,<br>HYDRAULIC CYLINDER, 3" BORE x 290mm STROKE,<br>HYDRAULIC CYLINDER,80mm BORE x 45 x 250mm STROKE &<br>HYDRAULIC CYLINDER, YUKEN CGCA-80B70B-150   |      |
|     |     |   |      |
| 28  |     | HYDRAULIC CYLINDER, 7" x 14"   |      |
|     |     |   |      |

| LOT | QTY   | DESCRIPTION   | NOTE |
|-----|---|---|------|
| 29  |    | 2 x TRACKWHEEL ASSY   |      |
| 30  |    | PULLEY ASSYEMBLY, TAIL<br>1150 x 520mm (D) APPROX                       |      |
| 31  |    | "MORSE" M10 CHAINGEARBOX, 10:1 RATIO                                    |      |
| 32  |    | "BORG WARNER" GEARBOX, MF14,104:1 RATIO                                 |      |
| 33  |  | "RADICON" GEARBOX, MBU12,12.5:1 RATIO                                   |      |
| 34  |  | "ROSSI MOTORIDUTTORI" GEARBOX, REDUCER,<br>MOD RC1-225-UO2A, 56:1 RATIO |      |
| 35  |  | PULLEY, SNUB<br>1000 x 404mm (D)  |      |
| 36  |  | "JETSTREAM" UNX PUMP, AXIAL PISTONS,<br>MODEL: 4215                     |      |

| LOT | QTY | DESCRIPTION   | NOTE |
|-----|-----|---|------|
| 37  |     | "AIR SWAN" AIR COMPRESSOR, SVU205   |      |
|     |     |    |      |
| 38  |     | HEAD PULLEY ASSEMBLY, C/W HALF COUP<br>1000 x 510mm (D) APPROX                      |      |
|     |     |    |      |
| 39  |     | PULLEY, TAIL SHAFT<br>980 x 630mm (D) APPROX  |      |
|     |     |    |      |
| 40  |     | TRACKWHEEL ASSEMBLY   |      |
|     |     |   |      |
| 41  |     | "FALKINER" F30 CHAIN ROLLER, 4.5"P,   |      |
|     |     |  |      |
| 42  |     | PULLEY ASSEMBLY, TAIL<br>454.2 x 686mm (D)  |      |
|     |     |  |      |
| 43  |     | PULLEY ASSEMBLY, TAIL MODEL: FDW-20-120-1-1<br>1320 x 606mm (D)                     |      |
|     |     |  |      |
| 44  |     | DRUM ASSEMBLY, PULLEY<br>1000 x 900mm (D) APPROX                                    |      |
|     |     |  |      |



| LOT | QTY | DESCRIPTION  | NOTE |
|-----|-----|--|------|
| 45  |     |  PULLEY, HEAD<br>1000 x 900mm (D) APPROX  |      |
| 46  |     |  PULLEY COUNTERWEIGHT<br>1000 x 600mm (D) APPROX  |      |
| 47  |     |  PULLEY, BEND<br>1000 x 635mm (D) APPROX  |      |
| 48  |     |  PULLEY, TAIL SHAFT<br>1000 x 635mm (D) APPROX  |      |
| 49  |     |  PULLEY, DRIVE, ASSEMBLY<br>1000 x 635mm (D) APPROX   |      |
| 50  |     |  INDUSTRIAL BLOWER FAN<br>INLET 600mm APPROX<br>OUTLET 400 x 500mm APPROX<br>ON SKID BASE   |      |
| 51  |     |  "KSB" PUMP<br>TYPE: LCC-Z 6X8-70X<br>DOM: 2020   |      |
| 52  |     |  LARGE DIAMETER PUMP WITH ELECTRIC MOTOR<br>AME PUMP OUTER PUMP DIAMATER 410mm<br>INNER PIPE DIAMETER 245mm<br>WEG ELECTRIC MOTOR 415V, 1480rpm, 37kw |      |

| LOT | QTY | DESCRIPTION   | NOTE |
|-----|-----|---|------|
| 53  |     | PUMP WITH DRIVE MOTOR<br>MODEL: LCC-Z 2X3-50X<br>ON SKID BASE |      |
| 54  |     | HYDRAULIC CYLINDER 4" BORE x 2.5" RODx46.5                    |      |
| 55  |     | HYDRAULIC CYLINDER, 63mm BORE x 450mm STROKE                  |      |
| 56  |     | 3 WAY VALVE, STAINLESS STEEL                                  |      |
| 57  |     | HYDRAULIC CYLINDER  |      |
| 58  |     | "FORRERS" PUMP, COMPLETE WITH DRIVE MOTOR, 6" x 6"<br>OUTLET  |      |
| 59  |     | "SUMITOMO" GEARBOX, ,15KW<br>MODEL: X8-36W                    |      |



| LOT | QTY | DESCRIPTION   | NOTE |
|-----|-----|---|------|
| 60  |     | "MORSE" CHAIN GEARBOX, M10,10:1 RATIO   |      |
|     |     |    |      |
| 61  |     | "TERRA TITAN" SUBMERSIBLE PUMP, VERTICAL SUMP                                       |      |
|     |     |    |      |
| 62  |     | ROTOR, GHH GAS EXHAUSTER,TYPE GD8/2   |      |
|     |     |    |      |
| 63  |     | "RADICON" GEARBOX, RHV12, 29.5:1 RATIO  |      |
|     |     |  |      |
| 64  |     | "DAVID BROWN" GEARBOX, SUPERDRIVE, UNIT No. SDV8, 25:1 RATIO                        |      |
|     |     |  |      |
| 65  |     | HEAD PULLEY, ASSEMBLY<br>1000 x 450mm (D) APPROX                                    |      |
|     |     |  |      |

| LOT | QTY | DESCRIPTION | NOTE |
|-----|-----|-------------|------|
|-----|-----|-------------|------|

66



"FLOWSERVE" TKL HYDRO TITAN PUMP  
MODEL: HTR2 A7P  
150 x 125-315mm

67



GUSH PUMP, APPLETON,  
S/N E5265/1204 &  
PUMP, VANE, VICKERS, 3525VQ35A17-1CC20

68



HYDRAULIC CYLINDER, 7 BORE x 22" STROKE, HL006278

69



LEVELLER BEAM CASSETTE,

70



"YUKEN" HYDRAULIC CYLINDER, CGLA-63A70B-1300


71



HYDRAULIC CYLINDER, HB2561300MMA1C/FCR1S

| LOT | QTY | DESCRIPTION | NOTE |
|-----|-----|-------------|------|
|-----|-----|-------------|------|

72 HYDRAULIC CYLINDER, 7" BORE x 22" STROKE,HL006278



73 2 x TRACKWHEEL ASSEMBLY



74 CRATE OF VARIOUS ITEMS INCLUDING  
 FUSE, 50AMP, 600V, GEC,GSB50,  
 PUMP, HYD, VICKERS, 2620-VQ-21A5-1AC11,  
 VALVE, COUNTER BALANCE, SUN-HYD, CBEA-LBN,  
 PULLEY, DRIVE, 2XPBX355PCD, TAPER BORE,  
 CONTACT, FIXED, 450A, AEI,90759,  
 CONTACT SET, MOVING, AEI,90753,  
 FILTER ELEMENT, STAUF, SE070H10B/4,  
 IMPELLER, KELLY & LEWIS, 2114547,  
 CYLINDER, HYDROIL, DRG 121388-D,  
 INPUT COUPLING, 10 HOLE, DRG 55530,  
 BELT, V, MATCHED SET OF 10, SPB3550PGAT,  
 SEAL KIT, BRAKE, METCO, ED2010,M/F 640,  
 LEVER, LIMIT SWITCH, H020,BHI.93221,  
 PUMP, OIL, BLENDING, 1" x 1", 415V,  
 HEATER SET, THERMAL OVERLOAD, 91.2-105 A,  
 ADJUSTABLE RADIUS, LEVER, MICROLOG,LSZ52D,  
 COUPLING, LOWER, DRF 144868-A,  
 PUMP, VANE, HYD, F/RATE 45L/M, 26VQ14A-1C-20,  
 VALVE, CHECK, YUKEN,CPG-06-75-20,  
 PUMP, HYD, VICKERS, PVB5-RSY-21-CM-11,  
 BRUSH, CARBON, 25 x 32 x 40mm ,EG236S,  
 VALVE, REGULATING, YUKEN,HG-03-B2-20,  
 SPRING, VOLUTE D000895, DRG S25482,  
 SEAL SET, VICKERS, 02-103531 & 02-103506,  
 VALVE, RELIEF, VICKHYD, CG2V-6GW-10,  
 VALVE, ANGLE CHECK, YUKEN,CRG-03-5-31,  
 BRUSH, CARBON,15.87 x 23.30 x 36.50mm,EG236,  
 VALVE, CHECK, YUKEN, CPDT-03-E-75-20,  
 SPRING, DRG 112024-1,  
 VALVE,REGULATING, YUKEN,RCG-10-B-21,  
 CYLINDER, HYDROIL, HB202170MMA1CF/CR1S,  
 COIL, SYNTRON, 56-D-211B,  
 RECTIFIER ASSY, IR,D-222-AU-7835,  
 SPRING STEM, DRG 132117-C,  
 SPRING, DRG 96063-H,  
 DISC, RUPTURE, HOV-BT, 8", FIKE,1717339,  
 DISC, RUPTURE, HO-BT,3", FIKE,1816262,  
 GRIDMEMBER, COUPLING, 8F FALK STEELFLEX



75



CRATE OF VARIOUS ITEMS INCLUDING  
 INSULATOR, HANGER, DRG 112063-D,  
 VALVE, REGULATING, VICKHYD,RCT-06-D1-10,  
 VALVE, FLOW, VICKHYD, EFN-06-21,  
 VALVE, DIRECTIONAL, VICKHYD, DG5VH82C2YMUE,  
 O-RING, BS238, NBR 70, 88.49mm x 3.53mm,  
 HOUSING, BEARING, CAST IRON, SKF, THM516,  
 VALVE, FLOW, REXROTH, DRVP12,  
 MOTOR, AC, FAN, ZIEHL-EBM, FCO56-VDA.6F.1,  
 SPRING, DRG 56947-T,  
 SPRING ROD, DRG 99576-3,  
 SPRING DRG 99576-4,  
 SPRING, DRG 95694-A,  
 VALVE, RELIEF, BAIRD, 7601-1" NPT,  
 TUBE, FLEX METALLIC, FSS 1 x 16 OAL,12mm DIA,  
 PINION, DRG 56674-5993/29A,  
 GUIDE ROLLER ASSY, DRG 120955,  
 HOSE ASSY S/S CONVOLUTED 15NB x 1500mm,  
 ROLLER ASSY, DRGS 56681 & 56680,  
 SEPARATOR, MIST, 0.01 UM, SMC AMD650-14D-T,  
 FILTER, AFF MAIN LINE, SMC, AFF37B-14D-T,  
 CYLINDER, PNEU, 25 ROD x 80 BORE x 150mm STR,  
 TACHOMETER, KKK, DRG 495.001.00.06E,  
 FILTER ELEMENT, M/MISTSE, 0.01UM, AMD-EL650,  
 VALVE, LAPPED, SPOOL, HAND OP, VSH4110-03,  
 BELT, NOTCHED, XPZ1337,  
 SUPPORT ROLLER ASSY, DRGS 56625 & 53157,  
 VALVE, SOLENOID, 240V AC, ASCO, 8211D22M-O,  
 BALL,VALVE, NEOPRENE, WILDEN,41,  
 OIL COOLER 150.00.22 KKK DRG 4950.001.00,  
 COUPLING, TYRE, H/FL, WF060F, F60F-1610ECO,  
 SPRING, DRG 112971-F,  
 EYEBOLT, 120LG, DIA 8mm, DRG 112971-K,  
 COUPLING, SPIDER, LC108S,  
 COUPLING, MOTOR, 1/2 D160, 42mm, LC108M17,  
 HOUSING, BELL, SAE 2 BOLT, LBS17B2,  
 BOLT, M12,90LG, DRG 112971-Q,  
 BRAKE, LININGS, SBRE, ABS 75 G,  
 VALVE, BUTTERFLY, 50mm, Z014-A,  
 DISC BRAKE, SIBRE, ABS 75 G ROTOR CALIPER,  
 BOLT, M16 x 100, DRG 132117-E,  
 FILTER, AIR, COMP, INGERSOLL RAND, 32230542,  
 FILTER, ELEMENT, INGERSOLL RAND, 32170979,  
 FILTER ELEMENT,10UM,INGERSOLL, 32012957,  
 FILTER, AIR, COMP, INGERSOLL RAND, 32170953,  
 BOLT, SQ HD, S/S,M16 x 100, DRG 99572-6,  
 HOSE, 3/4" T212DX2400, C/W, T202/1212WSS,  
 NOZZLE, UHPX46, METCO, C-UHPX-046,  
 FILLER, BREATHER, SMBT-47C-S-10-0-B08-0,  
 NOZZLE, UHPX46, METCO, C-63230,  
 SEAL SET, VALVE, MAXAM, 7080P99994HT,  
 BUSH, TAPER LOCK 1610, 7/8" BORE,  
 NOZZLE, 042 1/4NPT STR 22K, C-HHTC0-042,  
 BALL & SEAT, BAIRD,7612-1SHP,  
 SPRING, DRG 86796-8,  
 SPRING, DRG 86780-10,  
 SEAL SET, HYD CYLINDER, SUMITOMO,CG30008,  
 SPRING, DRG 86796-9,  
 CLUTCH, SPRAG,1.75" BORE, RENOLD,6481601,  
 SPRING, DRG 93412-25,  
 COIL, SPRING, DRG 83279-5,  
 SPRING, DRG 81536-18,  
 FILTER, FLUID OIL RYCO R2112P  
 GLASS, ARMOUR PLATE, 18" DIA x 1/4" THICK,  
 GEAR WHEEL, DRG 81502-1&2,  
 ROPE, TOW, DECANter MARREL PAN, 25m,  
 SLEEVE, 4", RED SPOT, VALVE, LINATEX H2R,  
 SPRING, HOLLOW RUBBER AEON 550H,  
 SPRING, DRG 86780-11,  
 ELEMENT, FILTER, PALL, UE310AN08ZYT07

| LOT | QTY | DESCRIPTION   | NOTE  |
|-----|-----|---|---|
| 76  |     |    | CRATE OF VARIOUS ITEMS INCLUDING<br>FILTER SET DFNT-20UN (14 PER SET),<br>SPRING, DRG 112024-3,<br>COIL, SPRING, DRG 93412-24,<br>INSULATOR, SUSPENSION VITREOSIL,<br>FILTER SET PRE11-GPPZ-10 (14 PER SET),<br>POWER SUPPLY, 24VDC, 10A, WEIDMULLER, PROECO,<br>RACK & PINION JACK, ZWW-L 250/600,<br>DRIVE COUPLING, TURNTABLE, DRG 55530,<br>CLAMP, M16, B632/1 CONTACT WIRE, 5111113,<br>FILTER BAG 2000mm x 145mm DIA NFW-PEPE381,<br>COUPLING, PUMP, 1/2, 7/8 SHAFT, LC108P07 |
| 77  |     |    | "RADICON" GEARBOX, RHO14, 7.5:1 RATIO   |
| 78  |     |    | 3 x HYDRAULIC CYLINDERS "YUKEN " CGCA-63B70B-300  |
| 79  |     |   | 2 x HYDRAULIC CYLINDERS, 63mm BORE x 350mm STROKE<br>2 x HYDRAULIC CYLINDERS "YUKEN" CGLA-40B70B-200  |
| 80  |     |  | 5 x HYDRAULIC CYLINDERS, HL006347, 630 x 360 x 1500mm   |
| 81  |     |  | "YUKEN" HYDRAULIC CYLINDER, CY1LA63B70B125BDALNP<br>"YUKEN" HYDRAULIC CYLINDER, BCY1LA80B70N50BDLTN10   |
| 82  |     |  | "RADICON" GEARBOX, 63.89:1 RATIO  |

| LOT | QTY | DESCRIPTION | NOTE |
|-----|-----|-------------|------|
|-----|-----|-------------|------|

83




2 x HYDRAULIC CYLINDERS, 552/2616 4" x 10"  
"YUKEN" HYDRAULIC CYLINDER, CGCA-80B70B-400

84



"YUKEN" HYDRAULIC CYLINDER, CGTG-100B70B-700

85



"YUKEN" HYDRAULIC CYLINDER, (B-CY-4CA80B140B-80-

86



"HYDROIL" HYDRAULIC CYLINDER, , HB25-13-950-1 3/8"









87



HYDRAULIC CYLINDER, 7" x 22-7/8"









| LOT | QTY   | DESCRIPTION  | NOTE |
|-----|---|--|------|
| 88  |    | "YUKEN" HYDRAULIC CYLINDER, BCY1LA125B140B600ABL   |      |
| 89  |    | PULLEY HEAD ASSEMBLY<br>1000 x 635mm (D) APPROX    |      |
| 90  |    | PULLEY ASSEMBLY<br>1000 x 540mm (D)                |      |
| 91  |   | 2 x GUSH PUMPS "APPLETON"<br>S/N E5265/1204        |      |
| 92  |  | PULLEY ASSEMBLY HEAD<br>1000 x 770mm (D) APPROX    |      |
| 93  |  | "HYDROIL" HYDRAULIC CYLINDER, HL001152 4" x 13-3/4 |      |
| 94  |  | "RADICON" GEARBOX, 10:1 RATIO                      |      |

| LOT | QTY   | DESCRIPTION   | NOTE |
|-----|---|---|------|
| 95  |    | "SUMITOMO" GEARBOX, 33.25:1 RATIO                               |      |
| 96  |    | "WEG" ELECTRIC MOTOR, AC, 150kw, 415V,                          |      |
| 97  |    | "WEG" ELECTRIC MOTOR, AC, 250kw, 415V, 2P                       |      |
| 98  |   | "WEG" ELECTRIC MOTOR, AC, 300kw, 415V, 4P,<br>MODEL: KTE60 W22M |      |
| 99  |  | "TECO" ELECTRIC MOTOR, AC, 45kw, 415V, 735rpm                   |      |
| 100 |  | ELECTRIC MOTOR, AC, 200HP, 415V, 8P,                            |      |
| 101 |  | ELECTRIC MOTOR AC<br>415v, 298 AMP,<br>590rpm, 200hp            |      |
| 102 |  | "YUKEN" HYDRAULIC CYLINDER, CGTC-80B70B-800                     |      |



| LOT | QTY | DESCRIPTION   | NOTE |
|-----|-----|---|------|
| 103 |     | "YUKEN" HYDRAULIC CYLINDER, CY1TC125B140B-850                                       |      |
|     |     |    |      |
| 104 |     | VALVE,SAFETY, RELIEF, EMERSON,JOS-E-15-D  |      |
|     |     |    |      |
| 105 |     | VALVE, INLET, QUENCH PUMP, 250mm,TURNFLO  |      |
|     |     |   |      |
| 106 |     | VALVE, DIAPHRAGM, BUTYL,100mm, NB, FLANGED  |      |
|     |     |  |      |
| 107 |     | FLOWMETER, ABB MAGMASTER  |      |
|     |     |  |      |
| 108 |     | "SUMITOMO" ELCTRIC MOTOR, DC,14.5kw, 260V, STAB SHUNT, LAK180LA                     |      |
|     |     |  |      |
| 109 |     | KAMUI SANGYO OIL COOLER<br>TYPE: HC 51012   |      |
|     |     |  |      |





| LOT | QTY | DESCRIPTION   | NOTE |
|-----|-----|---|------|
| 110 |     | BUTTERFLY QUENCH VALVE 600mm (D)  |      |
|     |     |    |      |
| 111 |     | "FLENDER BOCHOLT" GEARBOX, 48:1 RATIO<br>MODEL: 294657                              |      |
|     |     |    |      |
| 112 |     | 3 x SCREENS, 2347mm x 1220 x 15mm THICK   |      |
|     |     |    |      |
| 113 |     | 4 x SCREENS, 2347mm x 1220 x 15mm THICK   |      |
|     |     |    |      |
| 114 |     | 4 x SCREENS, 2347mm x 1220 x 15mm THICK   |      |
|     |     |  |      |
| 115 |     | 2 x SCREENS, 2347mm x 1220 x 15mm THICK   |      |
|     |     |  |      |
| 116 |     | MOTOR PUMP, 2.2kw,<br>CENTRIFUGAL PUMP,/135,125X200mm (D),IMP 210MM                 |      |
|     |     |  |      |






| LOT | QTY   | DESCRIPTION  | NOTE |
|-----|---|--|------|
| 117 |    | HYDRAULIC 2 x CYLINDERS, 7 BORE x 22" STROKE, HL006278     |      |
| 118 |    | HOUSING, FILTER, PALL, UH310C2408ZG                        |      |
| 119 |    | GEAR, IDLER,   |      |
| 120 |  | SPROCKET WHEEL   |      |
| 121 |  | PALLET OF LARGE CAPACITY FLEXIBLE 5 CORE CABLE<br>415V     |      |
| 122 |  | 3 x PALLETS OF SINGLE CORE WELDING CABLE<br>400 AMP APPROX |      |

| LOT | QTY   | DESCRIPTION  | NOTE |
|-----|---|--|------|
| 123 |    | PALLET LOT<br>3 x 5 CORE EXTENSIONS CABLES<br>415V, 63 AMP |      |
| 124 |    | PALLET OF LARGE CAPACITY FLEXIBLE 5 CORE CABLE<br>415V     |      |
| 125 |    | PALLET OF LARGE CAPACITY FLEXIBLE 5 CORE CABLE<br>415V     |      |
| 126 |   | 7 x 5 CORE EXTENSION CABLES<br>20, 32 & 63 AMP, 415V       |      |
| 127 |  | 18 (APPROX) 3 & 5 CORE EXTENSION CABLES                    |      |
| 128 |  | TRACKWHEEL ASSEMBLY  |      |



| LOT | QTY | DESCRIPTION   | NOTE |
|-----|-----|---|------|
| 129 |     | "YUKEN" HYDRAULIC CYLINDER, BCY1LA80B70N50BDLTN10                                   |      |
|     |     |    |      |
| 130 |     | CONTACTOR, 2PX2P, 24V, 2NO, LTHS400MI2P22224  |      |
|     |     |    |      |
| 131 |     | "SUMITOMO" GEARBOX, 6.55:1 RATIO  |      |
|     |     |    |      |
| 132 |     | "SUMITOMO" GEARBOX, 25KW X 8-6.44 HSH,  |      |
|     |     |  |      |
| 133 |     | PUMP, FLOWSERVE<br>MOD: 250X300/425   |      |
|     |     |  |      |
| 134 |     | PUMP, LAYNE & BOWLER,<br>MODEL: 300S58  |      |
|     |     |  |      |


| LOT | QTY | DESCRIPTION  | NOTE |
|-----|-----|--|------|
| 135 |     | FAN, CENTRIFUGAL, DUST COLLECT, ECT500-ZMS   |      |
|     |     |   |      |
| 136 |     | BUTTERFLY VALVE ASSEMBLY   |      |
|     |     |   |      |
| 137 |     | IMPELLER, PUMP, KELLY & LEWIS, 68898-A   |      |
|     |     |   |      |
| 138 |     | HYDRAULIC CYLINDER 7" x 22-7/8"  |      |
|     |     |   |      |
| 139 |     | "GENERAL ELECTRIC" ELECTRIC MOTOR, DC, TORQUE,<br>105HP  |      |
|     |     |   |      |
| 140 |     | 20 x SPOOLS OF ESAB MIG WIRE<br>OK ARISTOROD 12.50<br>0.9mm DIAMETER, 5kg<br>SUIT GENERAL PURPOSE, STRUCTURAL STEEL, PRESSURE<br>VESSELS & SHIP BUILDING |      |
|     |     |   |      |
| 141 |     | 20 x SPOOLS OF ESAB MIG WIRE<br>OK ARISTOROD 12.50<br>0.9mm DIAMETER, 5kg<br>SUIT GENERAL PURPOSE, STRUCTURAL STEEL, PRESSURE<br>VESSELS & SHIP BUILDING |      |
|     |     |   |      |

| LOT | QTY   | DESCRIPTION   | NOTE |
|-----|---|---|------|
| 142 |    | <p>20 x SPOOLS OF ESAB MIG WIRE<br/> OK ARISTOROD 12.50<br/> 0.9mm DIAMETER, 5kg<br/> SUIT GENERAL PURPOSE, STRUCTURAL STEEL, PRESSURE<br/> VESSELS &amp; SHIP BUILDING</p> |      |
| 143 |    | <p>20 x SPOOLS OF ESAB MIG WIRE<br/> OK ARISTOROD 12.50<br/> 0.9mm DIAMETER, 5kg<br/> SUIT GENERAL PURPOSE, STRUCTURAL STEEL, PRESSURE<br/> VESSELS &amp; SHIP BUILDING</p> |      |
| 144 |   | <p>20 x SPOOLS OF ESAB MIG WIRE<br/> OK ARISTOROD 12.50<br/> 0.9mm DIAMETER, 5kg<br/> SUIT GENERAL PURPOSE, STRUCTURAL STEEL, PRESSURE<br/> VESSELS &amp; SHIP BUILDING</p> |      |
| 145 |  | <p>20 x SPOOLS OF ESAB MIG WIRE<br/> OK ARISTOROD 12.50<br/> 0.9mm DIAMETER, 5kg<br/> SUIT GENERAL PURPOSE, STRUCTURAL STEEL, PRESSURE<br/> VESSELS &amp; SHIP BUILDING</p> |      |
| 146 |  | <p>20 x SPOOLS OF ESAB MIG WIRE<br/> OK ARISTOROD 12.50<br/> 0.9mm DIAMETER, 5kg<br/> SUIT GENERAL PURPOSE, STRUCTURAL STEEL, PRESSURE<br/> VESSELS &amp; SHIP BUILDING</p> |      |

| LOT | QTY   | DESCRIPTION   | NOTE   |
|-----|---|---|--------|
| 147 |    | <p>20 x SPOOLS OF ESAB MIG WIRE<br/> OK ARISTOROD 12.50<br/> 0.9mm DIAMETER, 5kg<br/> SUIT GENERAL PURPOSE, STRUCTURAL STEEL, PRESSURE<br/> VESSELS &amp; SHIP BUILDING</p> |        |
| 148 |    | <p>20 x SPOOLS OF ESAB MIG WIRE<br/> OK ARISTOROD 12.50<br/> 0.9mm DIAMETER, 5kg<br/> SUIT GENERAL PURPOSE, STRUCTURAL STEEL, PRESSURE<br/> VESSELS &amp; SHIP BUILDING</p> |        |
| 149 |   | <p>20 x SPOOLS OF ESAB MIG WIRE<br/> OK ARISTOROD 12.50<br/> 0.9mm DIAMETER, 5kg<br/> SUIT GENERAL PURPOSE, STRUCTURAL STEEL, PRESSURE<br/> VESSELS &amp; SHIP BUILDING</p> |        |
| 150 |  | <p>40ft SHIPPING CONTAINER, DOM: 2000, FLOOR GOOD, MINOR<br/> ROOF LEAKS, INTERNAL GPO &amp; LIGHTING, DUCTING HOLE AT<br/> REAR</p>  |        |
| 151 |  | <p>40ft SHIPPING CONTAINER, DOM: 2001, HIGH CUDE 2900mm,<br/> GOOD FLOOR, DRY, NO LEAKS</p>   | NO GST |
| 152 |  | <p>40ft SHIPPING CONTAINER, DOM: 1999, FLOOR GOOD, DRY,<br/> INTERNAL LIGHTING<br/> (CONTENTS NOT INCLUDED)</p>   |        |


| LOT | QTY | DESCRIPTION | NOTE |
|-----|-----|-------------|------|
|-----|-----|-------------|------|

153




ROLL OF HEAT TREATMENT OVEN CONVEYOR BELTING, 600mm (W)

154



ROLL OF HEAT TREATMENT OVEN CONVEYOR BELTING, 600mm (W)

155



7 x SMALL ROLLS OF HEAT TREATMENT OVEN CONVEYOR BELTING, 600mm (W)